

MATERIAL SAFETY DATA SHEET

Revised 20th July 2004

PREMIUM BARN PAINT

SECTION 1: IDENTIFICATION OF SUBSTANCE/PREPARATION & COMPANY

Product/Material: PREMIUM BARN PAINT

Product Description: Exterior Multi-Purpose Acrylic Paint

Supplier: R.K. & J. Jones Limited **Address:** Southery Road, Feltwell

Thetford, Norfolk, IP26 4EH, UK.

Telephone: 01842 828101

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME EINECS CAS No. CONTENTS HEALTH RISK (R.No)

Pigmentation: Non Toxic Inert Pigments and Extenders.

Acrylic Co Polymer Solvent Water

SECTION 3: HAZARDS IDENTIFICATION

Keep out of reach of children.

SECTION 4: FIRST AID MEASURES

Provide this data sheet if treatment is needed.

Eye Contact: Irrigate immediately with plenty of water and seek medical advice. **Skin Contact:** Remove contaminated clothing. Use proprietary skin cleaner followed

by soap and water. Do not use solvents/thinners. If symptoms

Product: Premium Barn Paint

persist, seek medical advice.

Inhalation: Always give fresh air and rest. In case of breathing difficulties or

irritation of breathing passages, obtain medical help.

Ingestion: Keep at rest. Obtain medical attention. Do not induce vomiting. Do

not give anything my mouth except water.

SECTION 5: FIRE FIGHTING MEASURES

Aqueous dispersions will not burn, dried films are combustible, water, foam, carbon dioxide or dry powder extinguishers are all suitable.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Contain and collect spillage using sand or earth. Do not allow to enter drains.

SECTION 7: HANDLING AND STORAGE

Use only in well ventilated areas. In case of insufficient ventilation wear suitable respiratory protection. Avoid contact with skin, where this is risk of product entering the eyes, wear suitable eye/face protection. Keep out of reach of children.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Symptoms of Exposure

Short Term splashes entering the eyes will cause discomfort and possible damage.

Occupational Exposure Limits or O.E.L. in P.P.M.

Figures are based on HSE Guidance Note EH40 unless otherwise indicated.

Refer to EH 40 for details of effects of exposure to mixtures. Theoretical Air Quantity to ventilate to O.E.L. not applicable.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

Explosive Limits Vol:

Dry Spray Mists:

Appearance:

Solubility in water:

Odour:

Not applicable

Not applicable

Soluble

Not percentible

Odour: Not perceptible.

Specific Gravity: 1.0-1.5kg/L

Flash Point: Not applicable

SECTION 10: STABILITY AND REACTIVITY

Stability: Normal

Incompatibility: Strong oxidising agents, concentrated nitro and

sulphuric acid.

Hazardous Decomposition & Combustion Products: Liquid product will not burn. Dried film will produce

smoke carbon dioxide and or carbon monoxide.

SECTION 11: TOXICOLOGICAL INFORMATION

Eves:- Can cause eve irritation.

Skin: Repeated or prolonged exposure defats the skin and may

cause dermatitis in sensitive individuals. Skin contact should

therefore be avoided.

Ingestion: Low order of toxicity although product should not be

provided.

Inhalation: May produce symptoms of headache and nausea in poorly

ventilated area where the product is being heated, dried or

sprayed sufficient ventilation should be provided.

SECTION 12: ECOLOGICAL INFORMATION

Eco-Toxicity: Spillages should not be washed into any drain unless it leads

to a suitable effluent treatment process. Spillages should not

Product: Premium Barn Paint

be allowed to enter routes to waterways.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Material and Spillage must be disposed of in accordance with the Control of Pollution Act 1974. Contact local authority before disposal.

SECTION 14: TRANSPORT INFORMATION

Not classed as hazardous

SECTION 15: REGULATORY INFORMATION

SI 1984/1985: Observe the Classification Packaging and labelling of Dangerous Substances Regulations

SECTION 16: OTHER HEALTH AND SAFETY INFORMATION

References should be made to the Health & Safety at Work Act.

Disclaimer:

If this product is re-distributed and re-formulated for sale, details of its hazards and recommended methods for safe handling must be passed to customers. Customers are urged to ensure that the product is entirely suitable for their own purpose. It is the customer's responsibility to ensure that a suitable and sufficient assessment of the risks created by a work activity using this product is undertaken before this product is used.

Note: The information contained in this Safety Data Sheet does not constitute the users own assessment of workplace risk as required by other Health & Safety Legislation (e.g. the Health and Safety at Work Act,1974; the control of Substances Hazardous to Health Regulations,1988). The data given here is based on current knowledge and experience. The purpose of this data sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the product's properties.

Our Ref: BT/PREMBP/JULY 04 Ref: 20/07/04

Product: Premium Barn Paint