

GRAFFITI WIPES

205/Q607/28

DESCRIPTION:

Heavy duty wipe impregnated with a blend of solvents and wetting agents and coated with a mildly abrasive layer.

RECOMMENDED USE:

For the removal of marks made by aerosol paints, marker pens, marking ink, brush paints from brick, concrete, glass, plastic and metal.

AVAILABILITY:

Each tub contains approximately 100 wipes

FINISH:

N/A

COLOUR:

N/A

TYPICAL S.G. (SPECIFIC GRAVITY):

N/A

VOLUME SOLIDS:

N/A

WET FILM THICKNESS W.F.T

DRY FILM THICKNESS D.F.T

EXPECTED SPREADING RATE:

N/A

The practical spreading rate may be lower as this depends on factors such as the porosity and roughness of the surface to be painted and material losses during application.

TYPICAL VISCOSITY

N/A

FLASH POINT:

N/A

DRYING TIME: @ RECOMMENDED D.F.T

Touch dry: N/A

Hard dry: N/A

Full hardness:

Low temperature and high humidity will adversely affect application, drying and performance of any coating.

MINIMUM OVERCOATING TIME:

APPLICATION SPECIAL CONDITIONS:

VOC CONTENT:

VOC's (Volatile Organic Compounds) contribute to atmospheric pollution

APPLICATION DETAILS:

Application restrictions

Method

Thinner (Max vol):

Nozzle size:

Nozzle pressure:

Cleaning solvent:

Recoat interval:

SURFACE PREPARATION:

Test a small area first to ensure compatibility.

MIXING INSTRUCTIONS:

APPLICATION CONDITIONS:

Compatibility may need to be tested on some delicate, polished or coated plastic surfaces prior to use.

For further advice contact Coo-Var Technical Services on +44(0)1482 328053

The physical constants are subject to normal manufacturing tolerances.

"COVERING OUR CUSTOMERS' NEEDS SINCE 1908"

GRAFFITI WIPES**205/Q607/28**

PRECEDING COAT:

N/A

SUBSEQUENT COAT:

N/A

REMARKS:**HEALTH AND SAFETY:**

See safety data sheet - SDS 10913

ISSUED:

20 April 2009

REVISION:

1

The information given in this data sheet is based on experience and is accurate to the best of our knowledge. No guarantee should be implied, however, since the conditions of use are beyond our control. This data sheet does not constitute a specification. In case of doubt as to the suitability of the product please contact our Technical Service Department.

For further advice contact Coo-Var Technical Services on +44(0)1482 328053

The physical constants are subject to normal manufacturing tolerances.

"COVERING OUR CUSTOMERS' NEEDS SINCE 1908"

Ellenshaw Works

Lockwood Street, Hull HU2 0HN

Tel.: +44(0)1482 328053. Fax: +44(0)1482 219266

COO-var

Email: info@coo-var.co.uk

www.coo-var.co.uk